



**28369-89**

Nondestructive testing. Ultra-violet sources.  
General technical requirements and test methods

MKC 19.100  
42 7629

01.01.91

), ( — - - )

1.

2.

2.1. - - -

2.2. ( - )

		- , / ² ( . . )	
		01.01.92	01.01.92
	70 300 125 -	10000(1000)	10500
	125 100 300	1400 (140)	1500
	36 100	500 (50)	800
	130 125 400	10000(1000)	10500
	300 125 200 -	2500 (250)	2600
	400 130x600 250 -	2200 (220)	2500

			/ 2 ( . . )	
			01.01.92	01.01.92
	400	200x500	400	-
	400		4500 (450)	5500
1.	:			-
2.		2.		-
2.3.				-
315—400			365	-
			6 8	1, 9411
2.4.			10	, 01.01.92—8
2.5.				10 % 10 %
(50 ± 1)				
2.6.				- -
2.7.				0,85, -
— 0,8;			300	
2.8.			—	12997.
2.9.				
15150		20		
2.10.				8 , -
2.11.				17000 .
2.12.		— 8		, 01.01.92—10 .
2.13.				
2.14.				-
— 15150			4.2.	
10° 35° .				
2.15.				84
106,7 ( 630 800 . . ).				
2.16.				-
MI 17516.				
2.17.				-
— :		50° 50° ;		
		— (95 ± 3) %	35° ;	
			30 / 2	80 120
2.18.				- —
9.301 9.032.				
2.19.				-
, 4,85 , 01.01.92— 4,0 .				

2.20.

2.20.1. — 12.2.007.0.

2.20.2. -

2.20.3. -

30

2.20.4.

12.4.013\*:

4

9411

2 —

4 — 9 —

2.20.5. -

» 4557—88

«

:

0,2<sup>2</sup>

1)

5

60 :

5000 / 2—

- (315—400 ),

5 / 2—

- (280—315 ),

2)

0,2<sup>2</sup>,

50 %

5

1000 / 2—

1 / 2—

3)

(280—315 ),

100

2.20.6.

40° —

45° —

2.20.7.

12.2.049.

—

14254.

2.20.8.

2.

3.

3.

3.1.

. 2,5,

:

(20±5)° ;

30 80% ;

84 106,7 ;

(220±4,4) ;

(50±1) .

\*

12.4.013—97.

3.2.  
2.20.1—2.20.5; 2.20.7; 2.20.8)

( . 2.1)

( .

**3.3.** - ( . 2.2)

315—400  
18442.

3.4. 2 . 2.2,  
( . 2.3)

3.5. ( . 2.10) . 3.3 ( . 2.4)

.2.4 2.10.  
3.6. ( . 2.5)

. 3.3  
.2.5.

3.7. S ( . 2.6) cos ( . 2.7)

$$S = U \quad /,$$

$$\cos = J_j \sim J_j,$$

U—  
/—  
—

3.8. ( . 2.8) ( . 2.9) —  
12997.

3.9. ( . 2.11), ( . 2.12),  
( . 2.13), ( . 2.18)

3.10. ( . 2.14;  
2.15) 2 . ( )  
35° (10° ) .3.3.  
3.11. ( . 2.16)

**3.12.**  
( . 2.17)

3.12.1. ( .  
) 50° ( 50° ) 6 .

3.12.2. 6 .3.3. 35° (95±3)%, 6 .

3.13. 6 .3.3. (. 2.17)

3.14. (. 2.19) — .3.3.


±0,05 .

3.15. (. 2.20.6) (. 2.20.7),

1

125-3, 125-3 16-89 675640.003.

2



10000 / 2:

-3-10000

2500 / 2:

-1-2500



. 7      28369-89

- 1. , -
- 2. 14.12.89 3744
- 3. 4.177—85 ( )
- 4. -

9.032-74	2.18
9.301-86	2.18
12.2.007.0-75	2.20.1
12.2.049-80	2.20.7
12.4.013-85	2.20.4
9411-91	2.3, 2.20.4
12997-84	2.8, 3.8
14254-96	2.20.7
15150-69	2.9, 2.14
17516-72	2.16
18442-80	3.3

- 5. 5—94 ( 11-12—94) -
- 6. . 2006 .

16.06.2006. 60 84/8. . . . . 0,93.  
.- . . 0,75. 82 . . 417. 2962.  
« . . . . », 123995 , . . . . , 4.  
www.gostinfo.ru info@gostinfo.ru  
« . . . . » — . « . . . . », 105062 , . . . . , 6.